



SAFETY DATA SHEET

ARMOR Wrap® 30 Regular VCI PAPER

1. IDENTIFICATION

Product Identifier

Product Name ARMOR Wrap® 30 Regular VCI Paper

Other means of identification

SDS # APPAC-002A

Recommended use of the chemical and restrictions on use

Recommended Use Corrosion Resistant Kraft Paper – Ferrous Metal Wrap

Details of the supplier of the safety data sheet**Supplier Address**

Armor Protective Packaging
1551 North Burkhart Rd
Howell, MI 48855

Emergency Telephone Number

Company Phone Number Phone: 1-517-546-1117 Fax: 1-517-546-6434

2. HAZARDS IDENTIFICATION

Appearance Kraft Paper / Rolls or Sheets

Physical State Solid

Odor Ammoniacal

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation	Category 4

Signal Word

Warning

Hazard Statements

Harmful if swallowed
Harmful if inhaled



International HQ

1551 North Burkhart Road • Howell, MI 48855 USA Ph. 517-546-1117 • Toll Free 800-365-1117 • Fax 517-546-6434

www.armorvci.com • www.workshophero.com



SAFETY DATA SHEET

ARMOR Wrap® 30 Regular VCI PAPER

Precautionary Statements - Prevention

Avoid breathing dust
Wash hands and any exposed skin thoroughly after handling
Do not eat or drink when using this product
Use in well ventilated areas

Precautionary Statements - Response

IF SWALLOWED: Call a doctor/physician if you feel unwell
Rinse mouth
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a doctor/physician if you feel unwell

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Cellulose Paper	65996-61-4	Balance
Proprietary non-hazardous blend of corrosion preventatives and water	Proprietary	9 -14
Sodium Nitrite	7632-00-0	5 - 10

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Do not rub eyes. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

Skin Contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation persists, call a physician.

Inhalation IF INHALED: breathing dust may irritate nose and throat. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a doctor/physician if you feel unwell.

International HQ

1551 North Burkhart Road • Howell, MI 48855 USA Ph. 517-546-1117 • Toll Free 800-365-1117 • Fax 517-546-6434
www.armorvci.com • www.workshophero.com



SAFETY DATA SHEET

ARMOR Wrap® 30 Regular VCI PAPER

Ingestion

IF SWALLOWED: Call a doctor/physician if you feel unwell. Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice.

Most important symptoms and effects

Symptoms

Direct contact with skin may cause an allergic reaction in some individuals. Harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Foam. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Carbon monoxide. Carbon dioxide (CO₂). Phosphorus oxides. Nitrogen oxides (NO_x). Phosphines.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Use personal protective equipment as required.

Environmental Precautions

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

International HQ

1551 North Burkhart Road • Howell, MI 48855 USA Ph. 517-546-1117 • Toll Free 800-365-1117 • Fax 517-546-6434

www.armorvci.com • www.workshophero.com



SAFETY DATA SHEET

ARMOR Wrap® 30 Regular VCI PAPER

Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Avoid breathing vapors or mists. Use in a well-ventilated area. Wash hands and any exposed skin after handling. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Store away from incompatible materials. Protect from extreme temperatures.

Incompatible Materials

Strong acids. Caustics.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

The following information is given as general guidance

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Proprietary		TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	

Appropriate engineering controls

Engineering Controls

Eyewash stations, Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Not usually necessary under conditions of normal use.

Skin and Body Protection

Not usually necessary under conditions of normal use. Use gloves if skin becomes irritated.

Respiratory Protection

Not usually necessary under conditions of normal use.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

International HQ

1551 North Burkhart Road • Howell, MI 48855 USA Ph. 517-546-1117 • Toll Free 800-365-1117 • Fax 517-546-6434

www.armorvci.com • www.workshophero.com



SAFETY DATA SHEET

ARMOR Wrap® 30 Regular VCI PAPER

Information on basic physical and chemical properties

Physical State	Solid		
Appearance	Kraft Paper / Rolls or Sheets	Odor	Ammoniacal
Color	Tan / Brown	Odor Threshold	Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH of treatment	6.5-7.8	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not Applicable	
Flash Point	Not applicable	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not applicable	
Vapor Density	Not applicable	
Specific Gravity	Not determined	
Water Solubility	Soluble in water	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization	Hazardous polymerization does not occur.
---------------------------------	--

Conditions to Avoid

See Sec. 7 Handling & Storage.

International HQ

1551 North Burkhart Road • Howell, MI 48855 USA Ph. 517-546-1117 • Toll Free 800-365-1117 • Fax 517-546-6434

www.armorvci.com • www.workshophero.com



SAFETY DATA SHEET

ARMOR Wrap® 30 Regular VCI PAPER

Incompatible Materials

Strong acids. Caustics.

Hazardous Decomposition Products

During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Carbon monoxide. Carbon and hydrogen oxides. Nitrogen oxides (NOx). Phosphorous oxides. Phosphine.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Avoid inhalation of dust

Ingestion Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary	= 8471 mg/kg (Rat)	-	-
Sodium Nitrite 7632-00-0	= 85 mg/kg (Rat)	-	= 5.5 mg/L (Rat) 4 h
Proprietary	= 2100 mg/kg (Rat)	-	-
Proprietary	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m ³ (Rat) 1 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Nitrites may react with organic amines in the body to form carcinogenic nitrosamines.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium Nitrite 7632-00-0		Group 2A		X

Legend

International HQ

1551 North Burkhart Road • Howell, MI 48855 USA Ph. 517-546-1117 • Toll Free 800-365-1117 • Fax 517-546-6434

www.armorvci.com • www.workshophero.com



SAFETY DATA SHEET

ARMOR Wrap® 30 Regular VCI PAPER

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Proprietary		16200 - 18300: 96 h Poecilia reticulata mg/L LC50		3910: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna Straus mg/L EC50
Sodium Nitrite 7632-00-0		0.19: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 2.3: 96 h Pimephales promelas mg/L LC50 flow-through 20: 96 h Pimephales promelas mg/L LC50 static 0.092 - 0.13: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.4 - 0.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.65 - 1: 96 h Oncorhynchus mykiss mg/L LC50 static		
Proprietary		420 - 558: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static		650: 48 h Daphnia magna mg/L EC50
Proprietary		51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static		500: 24 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

This material is not expected to bioaccumulate.

International HQ

1551 North Burkhart Road • Howell, MI 48855 USA Ph. 517-546-1117 • Toll Free 800-365-1117 • Fax 517-546-6434

www.armorvci.com • www.workshophero.com



SAFETY DATA SHEET

ARMOR Wrap® 30 Regular VCI PAPER

Mobility

Chemical Name	Partition Coefficient
Proprietary	-1.59
Sodium Nitrite 7632-00-0	-3.7
Proprietary	-2.13
Proprietary	-1.76

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Sodium Nitrite 7632-00-0	Toxic Ignitable Reactive

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

IATA

Not regulated

IMDG

Marine Pollutant

This material may meet the definition of a marine pollutant

International HQ

1551 North Burkhart Road • Howell, MI 48855 USA Ph. 517-546-1117 • Toll Free 800-365-1117 • Fax 517-546-6434

www.armorvci.com • www.workshophero.com



SAFETY DATA SHEET

ARMOR Wrap® 30 Regular VCI PAPER

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Proprietary non-hazardous blend of corrosion preventatives and water	Present	X		Present			X	Present	X	X
Sodium Nitrite	Present	X		Present		Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Nitrite 7632-00-0	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Sodium Nitrite - 7632-00-0	7632-00-0	25-30	1.0

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Nitrite	100 lb			X

International HQ

1551 North Burkhart Road • Howell, MI 48855 USA Ph. 517-546-1117 • Toll Free 800-365-1117 • Fax 517-546-6434

www.armorvci.com • www.workshophero.com



SAFETY DATA SHEET

ARMOR Wrap® 30 Regular VCI PAPER

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Nitrite 7632-00-0	X	X	X
Proprietary	X	X	X

16. OTHER INFORMATION

NFPA

Health Hazards

Not determined

Flammability

Not determined

Instability

Not determined

Special Hazards

Not determined

HMIS

Health Hazards

Not determined

Flammability

Not determined

Physical Hazards

Not determined

Personal Protection

Not determined

Issue Date: 16-Dec-2014
Revision Date: 27-May-2015
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

International HQ

1551 North Burkhart Road • Howell, MI 48855 USA Ph. 517-546-1117 • Toll Free 800-365-1117 • Fax 517-546-6434

www.armorvci.com • www.workshophero.com