



SAFETY DATA SHEET

ARMOR Wrap® 30, 35, & 60 Pound Regular VCI Paper

1. IDENTIFICATION

Product identifier

Product Name ARMOR Wrap 30, 35, 60 Pound Regular VCI Paper

Other means of identification

SDS # APPAC-011-CA

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Armor Protective Packaging
862 Arvin Ave.
Stoney Creek, Ontario Canada L8E 5P2
Phone: 905-643-9839
Fax: 905-643-3688

Emergency telephone number

Initial supplier phone number Please enter Initial Suppliers Phone Number here
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Kraft Paper / Rolls or Sheets **Physical state** Solid containing liquid **Odour** Ammoniacal

Classification

This chemical does not meet the hazardous criteria set forth by the 2015 WHMIS standards. However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

Signal word

None

Other Information

Toxic to aquatic life with long lasting effects



SAFETY DATA SHEET

ARMOR Wrap® 30, 35, & 60 Pound Regular VCI Paper

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Sodium Nitrite	7632-00-0	1-5	-	-
Glycerol	56-81-5	0.1-1	-	-

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

- General advice** Provide this SDS to medical personnel for treatment.
- Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
- Skin contact** Wash skin with soap and water.
- Inhalation** Remove to fresh air.
- Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

5. FIREFIGHTING MEASURES

- Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media** Not determined.
- Specific hazards arising from the chemical** Not determined.



SAFETY DATA SHEET

ARMOR Wrap® 30, 35, & 60 Pound Regular VCI Paper

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Glycerol 56-81-5	TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³		TWA: 10 mg/m ³



SAFETY DATA SHEET

ARMOR Wrap® 30, 35, & 60 Pound Regular VCI Paper

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes.

Skin and body protection Wear suitable protective clothing.

Respiratory protection Ensure adequate ventilation, especially in confined areas.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid containing liquid
Appearance Kraft Paper / Rolls or Sheets
Colour Tan/brown
Odour Ammoniacal
Odour Threshold Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u> (of coating)
pH	6.5-7.8	
Melting point / freezing point	Not determined	
Boiling point / boiling range	Not determined	
Flash point	Not determined	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper flammability or explosive limits	Not determined	
Lower flammability or explosive limits	Not determined	
Vapour Pressure	Not determined	
Vapour Density	Not determined	
Relative Density	Not determined	
Water Solubility	Soluble in water	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive properties	Not determined.	
Oxidising properties	Not determined.	



SAFETY DATA SHEET

ARMOR Wrap® 30, 35, & 60 Pound Regular VCI Paper

Other information

Softening Point	Not determined
Molecular weight	Not determined
VOC Content (%)	Not determined
Liquid Density	Not determined
Bulk density	Not determined

10. STABILITY AND REACTIVITY

Reactivity	Not reactive under normal conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to Avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact	Avoid contact with eyes.
Skin contact	Avoid contact with skin.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Please see section 4 of this SDS for symptoms.
Acute toxicity	
Unknown acute toxicity	No information available



SAFETY DATA SHEET

ARMOR Wrap® 30, 35, & 60 Pound Regular VCI Paper

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Nitrite 7632-00-0	= 85 mg/kg (Rat)	-	= 5.5 mg/L (Rat) 4 h
Urea 57-13-6	= 8471 mg/kg (Rat)	-	-
Sodium benzoate 532-32-1	= 4070 mg/kg (Rat)	-	-
Glycerol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m ³ (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Nitrate or nitrite (ingested) under conditions that result in endogenous nitrosation are considered IARC group 2A carcinogens.

Chemical name	ACGIH	IARC	NTP	OSHA
Sodium Nitrite 7632-00-0	-	Group 2A	-	X

Legend

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labour)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Nitrite 7632-00-0	-	0.19: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 2.3: 96 h Pimephales promelas mg/L LC50 flow-through 0.65 - 1: 96 h Oncorhynchus mykiss mg/L LC50 static 20: 96 h	-	-



SAFETY DATA SHEET

ARMOR Wrap® 30, 35, & 60 Pound Regular VCI Paper

		Pimephales promelas mg/L LC50 static 0.4 - 0.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.092 - 0.13: 96 h Oncorhynchus mykiss mg/L LC50 flow-through		
Urea 57-13-6	-	16200 - 18300: 96 h Poecilia reticulata mg/L LC50	-	10000: 24 h Daphnia magna Straus mg/L EC50 3910: 48 h Daphnia magna mg/L EC50 Static
Sodium benzoate 532-32-1	-	420 - 558: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	-	650: 48 h Daphnia magna mg/L EC50
Glycerol 56-81-5	-	51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static	-	500: 24 h Daphnia magna mg/L EC50

Persistence/Degradability No information available.

Bioaccumulation No information available.

Mobility .

Chemical name	Partition coefficient
Sodium Nitrite 7632-00-0	-3.7
Glycerol 56-81-5	-1.76

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances

DOT Not regulated



SAFETY DATA SHEET

ARMOR Wrap® 30, 35, & 60 Pound Regular VCI Paper

TDG	Not regulated
MEX	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

REGULATORY INFORMATION

International Regulations

Ozone-depleting substances (ODS) Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Sodium Nitrite	X	X	X	X	X	X	X	X
Glycerol	X	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances



SAFETY DATA SHEET

ARMOR Wrap® 30, 35, & 60 Pound Regular VCI Paper

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
HMIS	Health Hazards Not determined	Flammability Not determined	Physical hazards Not determined	Personal Protection Not determined

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value
*	Skin designation

Revision Date: 07-Dec-2018

Revision Note: New format.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet